



Xitanium/Fortimo LED Drivers Indoor

Xitanium 12W 0.3-1A 16V 230V 50/60Hz

The new Fortimo and Xitanium electronic LED drivers are specially designed to operate LED solutions for general lighting applications. There are Xitanium LED driver versions in 17W / 24V, 25W / 36V and 45W / 80V. There are fixed-output and dimmable (trailing edge and Touch & DALI) versions. The high output voltage (up to 80V) and adjustable output current (200 to 700mA) enable operation of many LEDs (high light output) and flexibility in LED fixture design. The output current can be set by placing a resistor on your LED PCB (Level 2 board). The new housing design incorporates three different mounting options: independent, screw and click mounting. The 25W and 45W versions also feature a 12V output to operate active cooling or decorative LED light effects. The Xitanium LED driver 45W/80V is available in fixed-output version in an independent housing.

Product data

| General Information | | Inrush Current Peak (Max) | |
|--|-------------|-------------------------------------|----------|
| Number of Products on MCB (16A Type B) (Max) | 28 | | 8 A |
| Operating and Electrical | | Output Voltage | |
| Input Frequency | 50 to 60 Hz | | 2.5-16 V |
| 12V Output | No | Inrush Current Width to 50% of Peak | |
| Output Current Ripple (Nom) | 20 % | | 180 µs |
| Output Current (Nom) | 300-1000 mA | Wiring | |
| Output Current Tolerance (Max) | 5 % | Connector Type Input Terminals | Wago 250 |
| Output Current Tolerance (Min) | -5 % | Hot Wiring | Yes |
| Input Voltage (AC) | 220-240 V | Connector Type Output Terminals | Wago 250 |
| Earth Leakage Current (Max) | 0.7 mA | Temperature | |
| Power Factor (Nom) | 0.9 | T-Ambient (Max) | 60 °C |
| Input Voltage (DC) | 186-250 V | T-Ambient (Min) | -20 °C |

Xitanium/Fortimo LED Drivers Indoor

Mechanical and Housing

Housing - [Not Specified]

Approval and Application



Relative Humidity (Operation) (Nom) 95 %
 IP Classification 20
 Isolation Classification SELV
 Approval Marks ENEC certificate CE marking

Product Data


Full product code 871829116370100

| | |
|---------------------------------|--------------------------------|
| Order product name | Xitanium 12W 0.3-1A 16V I 230V |
| EAN/UPC - Product | 8718291163701 |
| Order code | 16370100 |
| Numerator - Quantity Per Pack | 1 |
| Numerator - Packs per outer box | 10 |
| Material Nr. (12NC) | 929000659303 |
| Net Weight (Piece) | 0.140 kg |



Dimensional drawing



Xitanium 12W 0.3-1A 16V I 230V



Xitanium 12W 0.3-1A 16V I 230V



Xitanium 12W 0.3-1A 16V I 230V

| Product | D1 | A2 | C1 | A1 | A3 | A4 | B1 |
|-----------------------------------|--------|--------|-------|--------|--------|--------|-------|
| Xitanium 12W 0.3-1A 16V I 230V | 4.2 mm | 114 mm | 32 mm | 150 mm | 125 mm | 108 mm | 46 mm |

| Product | D1 | A2 | C1 | A1 | A3 | A4 | B1 |
|-----------------------------------|--------|--------|-------|--------|--------|--------|-------|
| Xitanium 12W 0.3-1A 16V I 230V | 4.2 mm | 114 mm | 32 mm | 150 mm | 125 mm | 108 mm | 46 mm |

| Product | D1 | A2 | C1 | A1 | A3 | A4 | B1 |
|-----------------------------------|--------|--------|-------|--------|--------|--------|-------|
| Xitanium 12W 0.3-1A 16V I 230V | 4.2 mm | 114 mm | 32 mm | 150 mm | 125 mm | 108 mm | 46 mm |

Xitanium/Fortimo LED Drivers Indoor

